

**Schroedahl / QM/UM - Documentation  
Management | Manual**

**for  
SCHROEDAHL GmbH**



**CIRCOR  
SCHROEDAHL GmbH**

**Alte Schönenbacher Str. 4**

**51580 Reichshof- Mittelagger**

**Telefon: +49 2265 9927 – 0**

**Telefax: +49 2265 9927 – 927**

**Internet: [circor.com](http://circor.com) | [schroedahl.com](http://schroedahl.com)**

# Schroedahl / QM/UM - Documentation

## Management | Manual

### Table of contents

Legal notices and preface

General remarks and introduction

Scope

Distribution of the management manual

1. About ourselves
2. Our company – philosophy / responsibility / policy
3. Management of resources
4. Our processes – our landscape
5. Measurement, improvement, deviation, correction
6. Other applicable documents

### Appendix to the management manual

Appendix 1 Process map

Appendix 2 Organisational chart for SCHROEDAHL GmbH

Appendix 3 List of other applicable documents

Management instructions (documented procedure)

Environmental management instructions (documented procedure)

List of abbreviations used

## Schroedahl / QM/UM - Documentation

### Management | Manual

#### Legal notices and preface

##### Pump protection valves and control valves from SCHROEDAHL

SCHROEDAHL is a worldwide orientated company with decades of experience in development and manufacturing of high-class speciality valves for regenerative, nuclear and conventional power stations, industrial plants as well as for production, transport and refining systems in the oil and gas sector.



##### Power plant and process industry

Long lasting high-end valves for perfected processes, SCHROEDAHL, with its decades of experience, is one of the world leaders for high quality control valve solutions. With our intense, intelligent and highly professional engineering our products contribute to safe, economically optimised processes in power plants as well as to industrial systems.

We see ourselves as sophisticated problem solvers, who think beyond the requirements of the singular control valve to evaluate the entire process. In this way we evoke solutions beyond standards and point a way for the market.

According to the requirements, SCHROEDAHL control valves can be used in pressure, temperature and level-regulator circuits as well as in volume-regulator circuits in all areas of power plant and in many industrial processes.

# Schroedahl / QM/UM - Documentation

## Management | Manual

SCHROEDAHL products in the power & process segment:

- Automatic pump protection valves
- Control valves for pump protection
- Special high-pressure control valves for water- and steam-circuits
- Steam conversion valves and turbine bypass stations
- Superheated steam cooler

### Specialist in the oil and gas sector

We offer you permanent, reliable pump protection for your business, particularly in oil and gas production (upstream) and processing (downstream).

Because our products are used in the toughest conditions, we manufacture to the highest quality level. The entire production and manufacturing chain is aligned to the most important national and international regulations and engineering standards (DIN, UVV, Vd TUV, AD data sheets, TRD, ASME, ANSI as well as DIN ISO 9001 / 14001 / 19443).

Furthermore, only high-quality materials are used, from carbon steel to stainless steel duplex, to ensure permanent reliability through immaculate function.

### SCHROEDAHL control valve

SCHROEDAHL has been developing and producing control valves since 1962. Control valves are a conventional form of pump protection. During operation of the pump, the flow rate is continuously measured, and the results are transmitted to the control unit. The control unit regulates the control valve, the corresponding medium (for example oil, gas, seawater, chemicals) is fed to the pump. This avoids any destruction of the pump through cavitation or overheating. At the same time, our experienced mechanics and technicians will be happy to offer any maintenance, servicing or adjustment of the control system on site.

# Schroedahl / QM/UM - Documentation

## Management | Manual

### General remarks and introduction

The manual and the other applicable documents implement the requirements of DIN EN ISO 9001:2015, DGRL 2014/68/EU, DIN EN ISO 14001:2015 and DIN EN ISO 19443.

### Scope

The management systems described in this MM apply for all areas of the firm of

**SCHROEDAHL GmbH**  
**Alte Schönenbacher Straße 4**  
**51580 Reichshof-Mittelagger**

It applies together with further management documents for all employees (please refer to the organisational chart).

In the event of a contract, the management system is applied as a performance level pursuant to

- DIN EN ISO 9001, DIN EN ISO 14001 and DIN EN ISO 19443

The management system also covers the additional requirements of other standards such as

- AVS D100/50,
- EU Pressure Equipment Directive 2014/68/EU (PED)
- AD 2000 HP0
- EN ISO 3834-2.

# Schroedahl / QM/UM - Documentation

## Management | Manual

### **Distribution of the management manual**

The MM is kept on the network drive and Intranet.

The MM is available as a loose-leaf collection in QM for employees with no access to the central network drive. Specific instructions will be distributed with an ongoing revision service (for internal use), with a temporary revision service and without a revision service. All loose-leaf copies of the instructions are registered in the corresponding distribution lists.

The MB is responsible for the distribution of the loose leaves and the management of the return receipts.

The MM is confidential and is subject to copyright. Its disclosure and handover to customers and/or sub-contractors requires the approval of the management. All copies of the MM remain the property of SCHROEDAHL GmbH

If the employment contract is terminated, if requested by the MB and possibly on completion of an order, the MM and all instructions shall be returned to the MB.

The manual applies for all areas of SCHROEDAHL GmbH within the CIRCOR Advanced Flow Solutions (AFS) Group.

# Schroedahl / QM/UM - Documentation

## Management | Manual

### 1. About ourselves

The company of **SCHROEDAHL GmbH** is located in the Oberbergische District (NRW), municipality of Reichshof, urban district of Mittelagger. It is very conveniently located in terms of transport since the premises are only approx. 4 km from the Reichshof- Eckenhagen motorway access on the A4 motorway Cologne-Olpe.

The site is located on an industrial estate and is split by the Alte Schönenbacher Straße.

The company was founded in 1966 with the construction of production and storage halls. An administrative building was built a little later.

This first phase of building lies between the Alte Schönenbacher Straße and the Breidenbach outfall.

The plot had been used agriculturally up until the start of the construction work.

In the years 2003, 2007, 2009 and 2014 the company was expanded by the construction of a new hall in each case to the east of the Schönenbacher Straße.

These halls are also used as production and storage halls.

The site borders directly on the Steinagger outfall to the north and parts of it are designated as a flood plain.

The premises border on meadows that are used for grazing in the east and south.

The company site covers an overall area of approx. 15,250 m<sup>2</sup>, 5,200 m<sup>2</sup> of which are built-up.

The nearest residential buildings are approx. 100 m from the production areas.

The Breidenbach and Steinagger outfalls that border on the premises directly are each classified as second order watercourses.

The nearest water protection area (Wiehl valley reservoir catchment area) is approx. 8 km away.

The main production processes that are carried out on the site are:

## Schroedahl / QM/UM - Documentation


### Management | Manual

Mechanical manufacturing (sawing, lathing, milling, drilling), welding, assembly, painting, packaging.

#### Connection to the CIRCOR Group

In April 2015, the firm of Schroedahl-Arapp was taken over by CIRCOR German Holdings GmbH und Co KG, part of the American CIRCOR group with headquarters in Burlington, MA, USA.

Since the CIRCOR Group is split over several fields of business, the rebranded SCHROEDAHL GmbH was initially assigned to the energy division. In the course of a group reshuffle, the CIRCOR Advanced Flow Solutions (AFS) Group was created in the middle of 2016, to which SCHROEDAHL GmbH has belonged since then. There has been no change in the company's range of products as a result of the takeover.



# Schroedahl / QM/UM - Documentation

## Management | Manual

### **2. Our company - philosophy / responsibility / policy**

We know that the quality of our products is a very important basis for the further development of our company. Therefore, quality and quality management are key elements in our corporate policy. We pay special attention to the identification and fulfilment of customer and interesting parties and their requirements regarding satisfy their specific interests. Reliability, flexibility and on-time deliveries are constant objectives of the business policy.

As a certified supplier for the nuclear sector, we pay especially attention to the quality of our personnel and processes in order to ensure the high demands of the KTA 1401, QN100 Generic and the ISO 19443, for process reliability and quality throughout the entire process chain. We are aware that our products in this area of application must meet particularly high safety and quality standards, as well as the potential risks associated with the supply of counterfeit, fraudulent and suspicious items (CFSI) within the supply chain. For this reason, we only work with suppliers who can prove the quality and origin of the goods we require. Our processes ensure that non-compliant Counterfeit Fraudulent Suspect Items (CFSI) cannot be used. To this end, we pursue a purchasing strategy that seeks to develop and maintain strong supply chain relationships with our key strategic suppliers based on collaboration, integrity and mutual trust. Supplier qualifications are reviewed and verified at prescribed intervals by appropriately qualified and experienced personnel. This is done in accordance with the supplier selection, evaluation and re-evaluation process. All personnel involved in the procurement of goods have been informed of the potential for CFSI and advised that all goods must be purchased directly from manufacturers or from agreed and official distribution channels. If CFSI items are discovered in the supply chain, we will notify our customers to stop using that item and inform all other parties who may be using it. These items should then be quarantined and destroyed and not returned to the supplier to prevent them from re-entering the supply chain.

The exact implementation of the special nuclear requirements is constantly reviewed by a specially trained and experienced project manager and supported by trained and selected project specialists over the entire project. This specially selected "nuclear project personnel"

## Schroedahl / QM/UM - Documentation

### Management | Manual

is regularly trained, throughout the entire process chain, as part of a project-related nuclear safety culture training to ensure always high safety and quality standards.

The topic of environmental protection has always played a major role in our company. To ensure that we remain a reliable and safe partner for all in future, the next step for us is to maintain an environmental management system. As a result, we are committed to not only observing all environmentally relevant laws and regulations but also to continuously and systematically improving internal environmental protection. We are committed to protecting the environment, which includes preventing environmental impacts.

The health and safety of our employees take top priority. Human capital is one of our most important investments, which is why it is our job to protect this accordingly. Health and safety objectives are set and monitored on a regular basis. We aim for continuous improvement in this field through further training, instructions, the identification of hazards, protective equipment and other measures.

The management commits to implement the requirements of IT security and the NIS2 Directive within the framework of the NIS2 Regulation (2022/2555/EU) through an effective, risk-based system, to handle security incidents appropriately, and to provide the necessary resources for this purpose.

The corporate strategy is defined annually insofar as the management sets quality, environmental and safety objectives. These objectives are substantiated in individual programmes in cooperation with the different departments. The programmes that are drawn up and their results are communicated to employees in an open and objective manner.

The management believes that one of its jobs is to encourage the employees' sense of responsibility and quality and their awareness of environmental protection, to define basic responsibilities, corporate processes and procedures, to monitor the efficacy of the defined measures and to ensure the availability of the necessary means. To this end, the management has implemented rules in this management manual (MM) that are anchored in the following standards.

The international standards DIN EN ISO 9001, ISO 14001 and DIN EN ISO 19443 form the basis of the MM. The MM is binding for the company.

## **Schroedahl / QM/UM - Documentation**

### **Management | Manual**

We are committed to following the rules set out in the corporate manual and to meet our binding obligations.

All employees are invited to constantly cooperate in improving the management system.

The management's goal is to consolidate and expand the market position with the defined corporate strategy, to spare the environment and its natural resources and to protect and uphold the health of the employees.

The Quality Management (QMB) and Environment Management Officer (UMB) as well as the Coordinator for Nuclear Safety are authorised by the management to ensure that the stipulations laid down in the MM are applied. They report directly to the management on a regular basis after internal audits and on special occasions about compliance with and the efficacy of the M system.

If contractually agreed, we disclose this MM and any M documents that are relevant for the order to our customers and are also prepared to have the application of the M system verified.



**Markus Schlosser**  
**Vice President EMEA**  
**SCHROEDAHL GmbH**



**Peter Heine**  
**Director OPS**  
**SCHROEDAHL GMBH**



**Dr. Joachim Krägeloh**  
**Director Quality**  
**SCHROEDAHL GmbH**

# Schroedahl / QM/UM - Documentation

## Management | Manual

### 3. Management of resources

Communication, information and exchanges in our organisation take place through personal talks and regular meetings.

The occupational health and safety requirements are looked after by the external occupational safety specialist (FASI). The FASI is supported internally by safety officers and the EHS Manager.

Because our company is part of an American group, an EHS system has also been introduced in the German subsidiaries at their instigation. This means that not only are German and European laws and regulations observed, but the much stricter intragroup American standards also have to be satisfied.

Environmental protection, energy efficiency and a careful use of resources have long taken priority for us. This is why we believe that it is very important to keep our environmental management system according to ISO 14001 up to date at all times.

The management is responsible for compliance with and communication of the statutory/official requirements, and for the infrastructure, working and process environment.

Trained and qualified employees are a key cornerstone for a successful company. Employee qualification and motivation is a natural motor in our organisation. Our employees enjoy regular further training.

# Schroedahl / QM/UM - Documentation

## Management | Manual

### 4. Our processes – our landscape

#### **Management processes**

The management processes represent a clearly defined structure in our company. To this end, goals are defined, and their achievement monitored systematically in the management review and measures are also derived to ensure the achievement of the goals.

#### **Value-creation processes**

Our value-creation processes are based on our customers' requirements. This results in a continuous adaptation to the demands and wishes of our customers.

#### **Support processes**

Support processes are provided to ensure the smooth course of the value-creation processes. This guarantees the implementation of the customer requirements.

#### **Documented procedures**

DIN ISO 9001 explicitly and without exception calls for documented procedures, also called an obligatory procedure.

These procedures ensure a documented process and that the content of the documentation of all of our activities satisfies internal and external expectations.

## Schroedahl / QM/UM - Documentation

### Management | Manual

#### **5. Measurement, improvement, deviation, correction**

The efficacy of the system is monitored by analysing the customer satisfaction-dissatisfaction as well as the results of both internal and customer audits.

The management system is subject to scheduled and unscheduled audits.

Our audits provide objective proof of compliance with the applicable instructions and the efficacy of any measures taken.

Any necessary corrective measures are initiated, and their implementation is monitored. Continuous improvement and a consideration of possible risks form an essential part of planning and changes as well as chances.

The QM system is assessed and improved with the regular management review.

The satisfaction of customer requirements is ensured by measuring and monitoring the processes.

Systematic corrections and improvements are introduced in the ongoing processes, and their implementation is monitored.

## Schroedahl / QM/UM - Documentation Management | Manual

### 6. Other applicable documents

Appendix 1 Process map

Appendix to the management manual:

Appendix 2 Organisational chart for SCHROEDAHL GmbH

Appendix 3 List of other applicable documents

Management instructions (documented procedure)


Environmental management instructions (documented procedure)

List of abbreviations used

**Our processes have proven their worth.**

# Schroedahl / QM/UM - Documentation Management | Manual

## Appendix 1 Process map



# Schroedahl / QM/UM - Documentation

## Management | Manual

### **Appendix 2 Organisational Chart for SCHROEDAHL GmbH**

See extra appendix

# Schroedahl / QM/UM - Documentation

## Management | Manual

### Appendix 3 List of other applicable documents

#### Management procedure instructions (documented procedures)

lfd. Nr.:	MV Nr.:	Titel
1	MH	Management Manual Fa. Schroedahl GmbH
2	0Q 100	Control of documents
3	0Q 101	Control of records
4	0Q 102	Drafting / amending and structure of instructions
5	0Q 104	Internal-external communication
6	0Q 110	Standards office: managing standards, regulations and specifications
7	0Q 200	Drafting / amending / verifying order-related documentation
8	0Q 201	Project-related instructions
9	0Q 210	Drafting and verifying welding documents
10	0Q 300	Planning the product realisation: supporting, value-creating and management processes
11	0Q 301	Sales process
12	0Q 302	Development/engineering/technology D+E process
13	0Q 303	Quality management QM process
14	0Q 304	Planning AV process
15	0Q 305	Purchasing EK process
16	0Q306	Process Planning SIOP
17	0Q307	Process Export Control
18	0Q 309	Customer Satisfaction Analyzation
19	0Q 311	Operations OPS process
20	0Q 320	Manufacturing and testing pressure equipment
21	0Q 330	Identification/marketing and traceability
22	0Q 352	Coating specification – definition and report
23	0Q 400	Subcontracting to service providers
24	0Q 500	Dealing with deviations / control of faulty products
25	0Q 501	Preventive measures to eliminate possible deviations
26	0Q 502	Identification of risks and opportunities
27	0Q 505	Environmental Health & Safety – violation of security
28	0Q 600	Internal audits – planning, performance and documentation
29	0Q 610	Subcontractors and service providers – assessment, selection and documentation
30	0Q 620	Analysis, monitoring and measurement of processes and products
31	0Q 700	Personnel, personnel development and training
32	0Q 800	Management review
33	0Q 801	KAIZEN – Annual planning

# Schroedahl / QM/UM - Documentation

## Management | Manual

34	0Q 802	Continuous Improvement (CI)
35	0Q 900	Management Commitment of the management to a safety culture
36	0Q 901	Handling NPP orders – planning, performance, documentation
37	1Q 305	Incoming goods
38	1Q 306	Products provided by the customer
39	1Q 321	Heat treatment of steels
40	1Q 322	Welding work /welding supervision
41	1Q 323	Kanban crates - Circuit and re-charging
42	1Q 324	Kanban cards
43	1Q 325	Rules for production of single- and serial parts
44	1Q 330	Re-stamping
45	1Q 331	Marking of parts with article number
46	1Q 332	Caulking of bolted components
47	1Q 340	Cleaning and handling valves
48	1Q 352	Standard coating specification
49	1Q 354	Packing valves
50	1Q 355	Longterm Storage Procedure
51	1Q 401	Pickling instruction
52	1Q 621	Using the acceptance dispatch note
53	1Q 901	Packing valves for the nuclear field
54	1Q 902	Cleaning and handling valves for the nuclear field
55	1Q 903	Storage and transport of valves for the nuclear field
56	1Q 904	Receipt and material flow of filler metals
57	1Q 905	Chloride free marking for nuclear parts
58	2Q 311	Identity check _ PMI OES
59	2Q 312	Identity check _ PMI XRF
60	2Q 320	Dimensional check
61	2Q 322	Monitoring the welding shop
62	2Q 352	Checking the nominal film thickness
63	2Q 601	Checking the measurement and control equipment
64	2Q 610	External checking of test equipment
65	2Q 621	Dye penetrant testing
66	2Q 622	Visual inspection
67	2Q 624	Ultrasound test instruction for welding ends tests pursuant to AVS 22.2/50
68	2Q 625	Ultrasound test instruction for welding seam tests pursuant to AVS 22.2/50
69	2Q 630	Water pressure test of the pressure retaining housing
70	2Q 631	Leak test of the pressure retaining housing
71	2Q 632	Seat leak test

## Schroedahl / QM/UM - Documentation

### Management | Manual

72	2Q 633	Function check
73	2Q 634	Test bench – check the design of TD valves
74	0U 100	Operating report
75	0U 101	Energy management
76	0U 102	Environmental aspects (interested parties, risk & opportunities, lifecycle assessment, risk matrix)
77	0U 103	Schedule of legal provisions
78	0U 200	Hazardous substances
79	0U 201	REACH/RoHS Conformity; Material Compliance Coordination
80	0U 202	Guideline on the implementation of 2023/1115 EUDR
81	0U 300	Waste management
82	0U 400	Emergency precautions and hazard prevention
83	1U 110	Check and clean the sludge trap
84	1U 111	Checking various drip trays for hazardous substances and the sludge trap
85	1U 201	Leak of substances hazardous to water at the chip container
86	1U 202	Handling the oil skimmer's collecting tank at CNC machines
87	1U 203	Storing hazardous substances
88	1U 301	Disposal of the coloured water from the coating booth
-	<del>1U 400</del>	<del>Issue and assessment of the safety and environmental instructions for external companies</del>
89	1U 401	Named helpers
90	1 EK 01	Inquiry
91	1 EK 02	Order
92	1 EK 03	Order confirmation
93	1 EK 04	Incoming goods
94	1 EK 05	Invoice verification
95	1V01	Invoice processing
96	1V02	Order processing
97	1V03a	Invoice generation
98	1V03b	Payment in advance
99	1V03c	Invoicing for partial delivery
100	1V04	Order Processing Sales & Customer Service
101	1V05	Creation and compilation of customer documentation
102	1 KD 01	Invoice processing
103	1 KD 02	Order processing
104	1 KD 03	Dispatch
105	1 KD 04	Invoice generation
106	1 KD 05	Warranties
107	1 KD 06	Complaints
108	1 KD 07	Radiation protection instruction

## Schroedahl / QM/UM - Documentation

### Management | Manual

109	1 KD 07-01	Regular training for radiation protection
110	1 KD 08	Guidelines for installation personnel
111	1 KD 09	Guidelines for installation personnel
112	1 AV 01	Order Processing
113	1 AV 02	Processing accruing orders in the AV
114	1 AV 03	Controlling the production documents in production
115	1 E+K 01	Type code for control valves
116	1 E+K 02	Drawing filing system
117	1 E+K 03	Amending drawings and parts lists in the D+E department
118	1 E+K 04	Filing system for installation reports in the D+E department
119	1 E+K 05	Order processing in the D+E department
120	1 E+K 06	Type code for minimum flow valves
121	1 E+K 07	Drawing filing system for minimum flow valves
122	1 E+K 08	Preparing, changing and distributing the workshop note (WZ) for minimum flow valves
123	1 E+K 09	Preparing, changing and distributing the workshop note (WZ) for control valves
124	1 E+K 10	Preparing calculation sheets using Mathcad (D+E)
125	1 E+K 11	Preparing welding plans
126	1 E+K 12	Filing scheme for the WinWord program
127	1 E+K 13	Working with the P2 program

# Schroedahl / QM/UM - Documentation

## Management | Manual

### List of abbreviations / initials used

Initial	Title / Description
AV	Job preparation
B/HR	Accounting / personnel management – Human Resources
BA	Company medical officer
BL	Plant management
D+E	Development/engineering/technology
IT / EDP	Electronic data processing
EK	Purchasing
GF	Management
KD	Customer service
L	Store
MA	Management instruction
MAU	External installation
MM	Management Manual
MP	Management test instruction
M-Plan	Management plan
M-System	Management system
MV	Management procedure instruction
P	Production
QMB	Quality management officer
MB	Management representative
SiFa	Occupational safety specialist
UMB	Environmental management officer
V	Sales
VE	Dispatch
QC	Quality clinic
COS	Circor Operating System
OTD	On Time Delivery
FB	Form sheet